



CorePro LEDcapsule MV

CorePro LEDcapsule 2-25W ND G9 827 G

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap-Base	G9 [G9]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	10000 h
Switching Cycle	5000X
Technical Type	2-25W
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	200 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	2 W

Lamp Current (Nom)	9.5 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.8
Voltage (Nom)	220-240 V
Temperature	
T-Ambient (Max)	35 °C
T-Ambient (Min)	-20 °C
T-Case Maximum (Nom)	100 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Label (EEL)	A++
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	2 kWh


CorePro LEDcapsule MV

Product Data

Full product code	871869973500500
Order product name	CorePro LEDcapsule 2-25W ND G9 827 G
EAN/UPC - Product	8718699735005
Order code	929002326202
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	12
Material Nr. (12NC)	929002326202
Net Weight (Piece)	0.006 kg



Dimensional drawing



R7S & G9 DOB ND EU/GMGC/LATAM GLASS

Product	D	C
CorePro LEDcapsule 2-25W ND G9 827 G	13.5 mm	50 mm


Photometric data



©2020 Philips Lighting B.V. Philips Lighting B.V. Page 1/1

LEDcapsule 2W G9 827



LEDcapsule 2W G9 827



LEDcapsule G9

CorePro LEDcapsule MV

Lifetime



10K

10K

