



Product Datasheet

09 LED Strips & Profiles>RGB Set

7820A/RGB



2W/meter RGB flexible complete LED light strip set, 30LEDs/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (3-LED segment).

Complete with 12V DC constant voltage LED controller and remote control.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Gallery



Physical Specification

Item Group	09 LED Strips & Profiles
Family	RGB Set
Order Code	7820A/RGB
Shape	Rectangular
Length	5000mm

Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Electrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2W/m
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Fitting	
Input Type	Constant Voltage
Input Voltage	12V DC
Safety Class	
Power(Watts)	2W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Number	30Leds/m
Gear	
Gear Type	Led Controller

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3x36W
Power Factor	0,9
Constant Voltage	Yes
12 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	Yes
Housing Material	Plastic
Output Terminal	Cable
Brand	0
Protection	0
llumination Data	
llumination Data	
llumination Data Colour Temperature	RGB
	RGB
Colour Temperature	RGB
Colour Temperature	RGB
Colour Temperature Illumination Diagram Packing Info	
Colour Temperature Illumination Diagram	RGB 19cm
Colour Temperature Illumination Diagram Packing Info	
Colour Temperature Illumination Diagram Packing Info Box Length	19cm
Colour Temperature Illumination Diagram Packing Info Box Length Box Width	19cm
Colour Temperature Illumination Diagram Packing Info Box Length Box Width Box Height	19cm 19cm 6,5cm
Colour Temperature Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight	19cm 19cm 6,5cm 0,43kg
Colour Temperature Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight Pcs/Carton	19cm 19cm 6,5cm 0,43kg

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



